


Dimensions | Elevation & Plan View



Fridge to Freezer.
Each drawer is switchable in minutes. Accurate and stable at any temperature.
(-22°C to +15°C)



Storage Capacity Per Drawer
1 x 1/1 GN Pan 200 mm Deep at the bottom
1 x 1/1 GN Pan 100 mm Deep on top



Just 450 mm wide, Adande Compact units provide convenient storage next to griddle and fry stations

Compacts have many other uses, from refrigerated upright bottle storage to frozen ices and, being small and easy to move, are ideal for outside catering

COMPACT UNITS HAVE THE SAME FRIDGE TO FREEZER FLEXIBILITY AS STANDARD SIZE ADANDE DRAWERS


Dimensions for VCC/DCT

OPTIONS

Top and Base | Worktops and Castors

(W) - load bearing

(T) - non load bearing



	High Castors		Standard Castors		Double Castors	
Finished Height & Load Bearing Weight with Worktop (W)	948 mm	VCC1/HCW	900 mm	VCC1/GCW	n/a	
	300 kg		300 kg		n/a	
Finished Height & Load Bearing Weight with Cover Top (T)	n/a		n/a		845 mm	VCC1/DCT
	n/a		n/a		0 kg	
(R1) REFRIGERANT R404A						
(R2) REFRIGERANT R600a						

BLAST CHILL OPTION IS NOT AVAILABLE ON COMPACT (VCC) UNITS

CLIMATE TESTING: Tested to Climate Class 4 (30°C and 55% relative humidity) for temperature and energy consumption

MAINS: 230 Vac 50 Hz also 60 Hz available

Applications

- At the griddle for burgers, etc.
- At the fry station for fries, etc.
- Ice cream and ices
- Upright bottle storage
- Mobile catering

Operational Benefits



- Reliable: amazing temperature stability
- Green: extremely energy efficient
- Cuts food waste
 - Food does not dehydrate
 - No freezer burn or ice crystals
 - No condensation on the food
- Ergonomically efficient
- Minimal maintenance costs
- Quick and easy to clean
- Robust and reliable

ADANDE® COMPACT UNIT (VCC)



VCC R1
R404A

VCC R2
R600a



VCC R2 tested independently!

The new EU Eco Design regulation will ensure that newly produced professional refrigerators and freezers will have to fulfil minimum energy efficiency requirements as of 1st July 2016. This will make understanding energy efficiency much simpler for consumers and will accelerate the growing shift in the market toward sourcing more energy efficient products